



ELIMINITE TERMITE SERVICES, INC

D-Liminite

1000 W. Bradley, Suite G

El Cajon, CA 92020

Ph: 619.334.0051 Fax: 619.334.4531

Email: info@d-liminite.com

website: www.d-liminite.com

MATERIAL SAFETY DATA SHEET

EMERGENCY OVERVIEW

Physical State: Liquid

Color: Colorless

Flammability: Class 3 flammable liquid

Caution: Eye contact, skin absorption, inhalation or swallowing is harmful. If skin contact, remove with soap. If inhaled, move person to fresh air. If in eyes, rinse with water. If swallowed, contact a physician or poison control center.

For Chemical Emergency, Spill, Leak or Fire call CHEMTREC (800)242-9300

For Medical Emergency or Adverse Event call PROSAR (800)983-4711

Hazard Rankings

Table with 3 columns: Hazard Type, HMIS, NFPA. Rows: Health Hazard (2, 2), Fire Hazard (2, 2), Reactivity (0, 0).

Protective Equipment

Protective eyewear, long sleeve shirts, long pants, chemical resistant gloves and shoes. See section VIII for further details.

DATE PREPARED/REVISED: August 2014

SECTION I: PRODUCT IDENTIFICATION

Product Name: D-Liminite Orange Oil

Product Description: Proprietary EPA registered commercial pesticide for drywood termites, wood boring beetles and carpenter ants

Generic Description: Citrus terpenes, Orange Terpenes, Terpene hydrocarbons

EPA Registration Number: 90743-1

Proper Shipping Name: (49CFR 172.101): Consumer Commodity

D.O.T. HAZARD CLASS (49CFR 172.101): ORM-D

SECTION II: HAZARDOUS INGREDIENTS

Emergency Overview

Appearance/Odor: Colorless liquid with citrus aroma.

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Skin: May cause slight redness. Prolonged or repeated exposure may cause drying of the skin.

Inhalation: May cause nose, throat, and respiratory tract irritation, coughing, headache.

Ingestion: Not likely to be toxic, but may cause vomiting, headache, or other medical problems.

Medical Conditions Aggravated By Exposure: May irritate the skin of people with pre-existing skin conditions.

Slip Hazard: Slippery when spilled. Clean up spills immediately. See Section 6 and Section 7 for spill

cleanup and handling methods.

The product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC, ACGIH or NTP.

### OSHA Regulatory Status

This material is combustible, which is defined as having a flash point between 100°F (37.8°C) and 200 F°(93.3 C°). Combustible materials are hazardous according to the OSHA Hazard Communications Standard (29 CFR 1910. 1200).

## **SECTION III: COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Component</u>	<u>CAS #</u>	<u>% by Wt.</u>
d-Limonene	5989-27-5	min. 95
Citrus Terpenes (Orange)	none assigned	5

## **SECTIONS IV: FIRST AID MEASURES**

Have the product container or label with you when calling a poison control center or doctor or going for treatment. [You may also contract 1-800-424-9300 for emergency medical treatment information.]

- If on Skin**
- Take off contaminated clothing.
- Or**
- Immediately rinse off skin with plenty of water for 15-20 minutes.
- Clothing**
- Call a poison control center or doctor for treatment advice.
- If Inhaled**
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
  - Move person to fresh air.
  - Call a poison control center or doctor for treatment advice.
- If in Eyes**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

## **SECTION V: FIRE FIGHTING MEASURES**

**Suitable Extinguishing Media:** Carbon dioxide, foam or dry chemical. Caution: Carbon dioxide will displace air in confined spaces and may create an oxygen deficient atmosphere.

**Unsuitable Extinguishing Media:** Water.

**Products or Combustion:** Forms acrid fumes, carbon monoxide, and carbon dioxide.

**Protection of Firefighters:** Vapors may irritating to eyes, skin and respiratory tract. Firefighters should wear self-contained breathing apparatus (SCBA) and full fire-fighting turnout gear.

## **SECTION VI: ACCIDENTAL RELEASE, SPILL, LEAK MEASURES**

**Personal Precautions:** Use personal protection recommended in Section 8. Product is slippery when spilled. Isolate the hazard area. Deny entry to unnecessary and unprotected personnel.

**Methods for Containment:** Dike spill area and cap leaking containers as necessary to prevent further spreading of spilled material. Absorb spilled liquid with suitable material such as dirt or sand.

**Methods for Clean-up:** Eliminate all ignition sources. Use equipment rated for use around combustible materials. Oil soaked rags may spontaneously combust; place in appropriate disposal container.

This product contains no CERCLA listed chemical.

**Environmental Precautions:** Keep out of drains, sewers, ditches, and waterways.

## **SECTION VII: HANDLING AND STORAGE**

### **Handling**

Wear chemical resistant gloves. Wear OSHA-approved safety glasses, goggles, or face shield. Mechanical ventilation should be used when handling this product. Keep away from heat, sparks, and flame. Open container slowly to release pressure caused by temperature variations. Do not allow this material to come in contact with eyes. Avoid prolonged contact with skin. Use in well ventilated areas. Do not breathe vapors. As with any chemical, employees should thoroughly wash hands with soap and water after handling this material. Do not contaminate water, feed or food by storage, handling or disposal. Read and observe all precautions and instructions on the label.

### **Storage**

Product is packaged in fluorinated plastic containers. Store containers upright and closed. Store in areas that are cool, dry and well ventilated. Keep away from heat, ignition source and strong oxidizers. Emptied containers may retain product residues. Do not cut, drill, grind, or weld on or near this container; residual vapors may ignite.

## **SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Protective Equipment/Exposure Guidelines**

**Orange Terpenes** 8h TWA=30 ppm (AIHA Standard)

**TWA – Time Weighted Average**

**Eye/Face Protection:** Wear Safety Goggles or Glasses.

**Skin:** Wear chemical resistant gloves [Nitrile gloves are recommended] and long-sleeved coveralls or long sleeves and pants, socks and chemical resistant footwear.

**Inhalation:** No respiratory protection required when used according to label directions, but if vapor concentration is high, use NIOSH approved air-purifying respirator with organic vapor cartridge or canister.

**Ventilation:** If ventilation is inadequate, mechanical ventilation should be used when handling this product in enclosed spaces. Local exhaust ventilation may be necessary.

**General Hygiene Considerations:** Wash hands thoroughly after handling clothing or equipment that have come in contact with this product. Have eyewash and emergency shower facilities immediately available in case of warehouse or storage facility spills. Launder contaminated clothing before reuse.

## **SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES**

Color: Colorless.

Odor: Citrus aroma.

Physical State: Liquid.

Boiling Point: 349°F (176°C)

Melting Point: -140°F (-96°C), thickens at -108°F (-78°C)

Specific Gravity: (25°) 0.838 to 0.843 @ 68°F (20°C)

Refractive Index: (20°) 1.471 to 1.474

Optical Rotation: (25°) +96 to +104

Vapor Pressure: <2mmHg @ 68°F (20°C)

Flash Point (CCCFP): 118.4°F (48°C)

Flammable Limits: LEL approx. 0.7%, UEL approx.. 6.1%

Autoignition Temperature: 458°F (237°C)

Solubility in Water: Insoluble

Evaporation Rate: 0.2 (BuAc=1)

Volatile Organic Compound (VOC) Content: >95% by volume.

Note: These specifications represent a typical sample of this product, actual values may vary.

## **SECTION X: REGULATORY INFORMATION**

### **Regulatory Requirements**

The United States FDA lists d-Limonene as GRAS in 21 CFR Section 182.20 and 182.60.

### **EPA Hazard Categories Section 311 and 312**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Immediate Health	Delayed health
Fire Hazard	Reactivity

### **SARA Title III (Section 313)**

This product contains no materials subject to the reporting requirements of SARA Title III (Section 313). Reporting requirements of Sections 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: CHEMICAL NAME CAS NUMBER % BY WEIGHT

### **Proposition 65: California Safe Drinking Water and Toxic Enforcement Act of 1986**

The product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

This product was produced with Good Manufacturing Practices. This product is a by-product of citrus and entirely of natural origin. This product has not been adulterated or misbranded.

### **Global Inventories**

The components of this product are included in the following inventories

USE (TSCA)	Canada (DSL)	Europe (EINECS/ELINCS/Polymer/NLP)
Australia (AICS)	Korea (KECL)	Philippines (PICCS)
Japan (ENCS)		

## **SECTION XI: TOXICOLOGICAL INFORMATION**

### **Acute Effects**

Orange terpenes have been shown to have low oral toxicity (LD50>5 g/kg) and low dermal toxicity (LD50>5 g/kg) when tested on mice. The skin irritancy of limonene in guinea pigs and rabbits is considered moderate and low, respectively. Inhalation may cause irritation of the nose, throat, and respiratory tract.

### **Chronic Effects**

This product is not classified as a carcinogen by OSHA, IARC, ACGIH, OR NTP. This product has not been shown to produce genetic changes when tested on bacterial or animal cells. This product does not contain known reproductive or developmental toxins. Prolonged or repeated exposure can cause drying or dermatitis of skin. Improper storage and handling may lead to the formation of a possible skin sensitizer.

## **SECTION XII: ECOLOGICAL INFORMATION**

### **Ecotoxicity**

There is no information available at this time for this product. However, a spill may product significant toxicity to aquatic organisms and ecosystems. Some studies have shown that certain bacteria and fungus have the ability to degrade terpenes, decreasing their toxicity to fish. When spilled, this product may act as an oil, causing a film, sheen, emulsion or sludge at or beneath the surface of a body of water.

Persistence/Degradability: Product is expected to be readily biodegradable.

Bioaccumulation/Accumulation: No appreciable bioconcentration is expected in the environment.

Mobility in Environment: Orange terpenes volatilize rapidly.

## **SECTION XIII: DISPOSAL CONSIDERATIONS**

Do not contaminate water, food or feed by storage or disposal

**Storage:** Store container in cool, dry place. Do not use or store near heat or open flame.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste facility.

**Container Disposal:** {Plastic container:} Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning; if burned stay out of smoke.

Oil soaked rags should be disposed of properly to prevent spontaneous combustion.

## **SECTION XIV: TRANSPORT INFORMATION**

### **US DOT Shipping Classification**

PROPER SHIPPING NAME (49CFR 172.101): Consumer Commodity

D.O.T. HAZARD CLASS (49CFR 172.101): ORM-D

E.P.A. REGISTRATION NUMBER: 90743-1

GENERIC DESCRIPTION: Citrus Terpenes, Orange Terpenes (TERPENE HYDROCARBONS, N.O.S.)

IDENTIFICATION NO. UN2319

PACKAGING GROUP: III

LABEL/PLACARD: exception 173.150(f) applies.

**TDG Status:** Hazardous

**IMO Status:** Hazardous

**IATA Status:** Hazardous

The listed transportation classification does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptions.

## **SECTION XV: STABILITY AND REACTIVITY**

**Stability:** Stable.

**Conditions to Avoid:** Keep away from heat, sparks and flames.

**Incompatible Materials:** Strong oxidizing agents and strong acids, including acidic clays, peroxides, halogens, vinyl chloride, and iodine pentafluoride.

**Hazardous Decomposition Products:** Oxides of orange terpenes, which can result from improper storage and handling, are known to cause skin sensitization.

**Possibility of Hazardous Reactions:** To prevent oxidation, avoid long-term exposure to air. If storing partially filled container, fill headspace with an inert gas such as nitrogen or carbon dioxide.

## **SECTION XVI: OTHER INFORMATION**

### **NFPA 704: National Fire Protection Association**

Health- 1 (slight hazard)

Fire-2 (moderate hazard)

Reactivity- 0 (minimal hazard)

EINECS Number: 232-433-8

d-Limonene is the major component of orange terpenes. It is a by-product of citrus fruit and entirely of natural origin. It does NOT contain lead, cadmium, mercury or hexavalent chromium or come in contact with these chemicals as it is a citrus-derived essential oil produced by steam/vacuum distillation. D-Limonene is packaged in containers with inert liners that do NOT contain lead, cadmium, mercury, or hexavalent chromium. D-Limonene does NOT contain and is NOT manufactured with any of the Class I or II ozone-depleting substances listed under the United States Clean Air Act of 1990.

### **PACKAGING**

d-Limonene is packaged in fluorinated polyethylene 1 gallon containers.

## ***Disclaimer of Liability***

The information contained herein is based on current knowledge and experience and obtained from sources we believe to be reliable. These data are offered in good faith as typical values and not as product specifications. No warranty, either express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. This product should be used, transported and stored following precautions declared on the product labeling. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. All materials may present unknown health hazards when accidentally or intentionally combined with other substances. This MSDS is to be used only for this product and as a guideline for safe work practices and emergency response. Upon shipment of this product from our warehouse utilizing transport not owned or operated by us, the conditions of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.

### **Legend**

ACIGH - American Conference of Governmental Industrial hygienists  
AIHA – American Industrial Hygiene Association  
BHU – Butylated Hydroxytoluene  
EPA – United States Environmental Protection Agency  
FDA – United States Food and Drug Administration  
GRAS – General Regarded As Safe  
HMIS – Hazardous Materials Information System  
IARC – International Agency for Research on Cancer  
NIOSH – National Institute for Occupational Safety and Health  
NFPA – National Fire Protection Association  
NTP – National Toxicology Program  
OSHA – United States Occupational Health and Safety Administration